

# COLONY



MODEL 7321D (SHOWN)



MODEL 7312D (SHOWN)



WOOD SPECIES: OAK IN 14 FINISHES.  
SEE PAGE 221.

COLONY FEATURES FIXED CUSHIONS.

SHOWN ABOVE WITH COLONY LOUNGE  
TABLE CY-2828-20W.

OPTIONAL CHANCELLOR ARM AVAILABLE.  
SPECIFY AS AN OPTION WHEN ORDERING.  
ADD \$150 LIST.





MODEL 7323D (SHOWN)

MODEL	DESCRIPTION	COM YRD.	COL SQ. FT.	PRICING B/COM	C	D/COL	E	F	G	L	M
LOUNGE CHAIR MODELS											
7311D	FOUR LEG	2.125	46.75	\$790	\$817	\$857	\$910	\$968	\$1032	\$1112	\$1191
7321D	SLED LEG	2.125	46.75	\$804	\$831	\$871	\$924	\$982	\$1046	\$1126	\$1205
DIMENSIONS: W 26.75 D 32 H 34 SW 24.25 SD 20 SH 18 AH 24 CARTONED WEIGHT 75 CUBIC FEET 31											
TWO-SEAT MODELS											
7312D	FOUR LEG	4.25	93.5	\$1248	\$1301	\$1380	\$1487	\$1603	\$1731	\$1890	\$2050
7322D	SLED LEG	4.25	93.5	\$1260	\$1313	\$1393	\$1499	\$1616	\$1744	\$1903	\$2063
DIMENSIONS: W 51 D 32 H 34 SW 48.5 SD 20 SH 18 AH 24 CARTONED WEIGHT 117 CUBIC FEET 51											
THREE-SEAT MODELS											
7313D	FOUR LEG	6.375	140.25	\$1729	\$1809	\$1929	\$2088	\$2263	\$2454	\$2694	\$2933
7323D	SLED LEG	6.375	140.25	\$1743	\$1823	\$1942	\$2102	\$2277	\$2468	\$2707	\$2947
DIMENSIONS: W 75 D 32 H 34 SW 72.5 SD 20 SH 18 AH 24 CARTONED WEIGHT 150 CUBIC FEET 61											

## SPECIFICATIONS FOR COMMUNITY COLONY COLLECTION

**MODELS: 7311D – 7312D – 7313D – 7321D – 7322D – 7323D**

**Wood Species:** Oak or Maple

**Details of Construction:** All chair parts are constructed from solid wood. The arms, back posts, side rails, and sled rails are fabricated from 1 ½” lumber. The front and back rails are made from 1 ¼” lumber. All joints are connected together with spiraled grooved, compressed hardwood dowels and assembly glue at each joint. All frames are reinforced with corner blocks which are properly fitted into the four corners of the seat frame and securely screwed and glued to the rails. For additional strength and stability, a steel screw is placed through each corner block and into the center of each adjoining leg. Interior seat construction consists of sheet webbing stretched and stapled securely to the seat frame. The seat is attached to the frame by four screws from the underside. The interior back construction consists of 3 ½” wide strips of polypropylene webbing, stretched and stapled to the back frame. The upholstered, zippered back cushion is screwed to the frame from the back side.

**Finish:** Each chair has an even coat of a no-wipe stain, followed by a coat of sealer. A light sanding is given and then oven dried for 30 minutes. Another coat of catalyzed sealer is applied and oven dried for another 30 minutes. Another light sanding process is performed to assure a smooth finish. Then the product is sprayed with a 45 sheen catalyzed lacquer and oven dried for an additional 30 minutes. Then there is a 30 minute cool down period before final inspection.

**Upholstery:** Each seat is upholstered with 3 ¼” high density polyurethane to assure consistency in thickness and comfort. The back and arms are upholstered with high density polyurethane for durability and comfort. All upholstery materials pass the California Fire Retardant Code, Class 1, Commercial Standard 191-53, Technical Bulletin #117.

<b>Dimensions:</b>	<b><u>7311D – 7321D</u></b>	<b><u>7312D – 7322D</u></b>	<b><u>7313D – 7323D</u></b>
Width:	26 ¾”	Width: 51”	Width: 75”
Depth:	32”	Depth: 32”	Depth: 32”
Height:	34”	Height: 34”	Height: 34”
Seat Width:	24 ¼”	Seat Width: 48 ½”	Seat Width: 72 ½”
Seat Depth:	20”	Seat Depth: 20”	Seat Depth: 20”
Seat Height:	18”	Seat Height: 18”	Seat Height: 18”
Arm Height:	24”	Arm Height: 24”	Arm Height: 24”