

CORBIN



MODEL CB7501W (SHOWN)




MODEL CB7502W (SHOWN)



WOOD SPECIES: MAPLE IN 13 FINISHES.
SEE PAGE 221.

CORBIN FEATURES FIXED CUSHIONS.

AVAILABLE WITH METAL OR WOOD LEGS.





MODEL CB7503W (SHOWN)



MODEL CB7504W (SHOWN)

MODEL	DESCRIPTION	COM YRD.	COL SQ. FT.	PRICING B/COM	C	D/COL	E	F	G	L	M
LOUNGE CHAIR MODELS											
CB7501S	METAL LEG	7.5	165	\$1247	\$1341	\$1482	\$1669	\$1876	\$2101	\$2382	\$2663
CB7501W	WOOD LEG	7.5	165	\$1247	\$1341	\$1482	\$1669	\$1876	\$2101	\$2382	\$2663
DIMENSIONS: W 34 D 32 H 35 SW 20 SD 22 SH 18 AH 28 CARTONED WEIGHT 74 CUBIC FEET 27											
TWO-SEAT MODELS											
CB7502S	METAL LEG	11	242	\$1701	\$1839	\$2045	\$2320	\$2623	\$2953	\$3365	\$3778
CB7502W	WOOD LEG	11	242	\$1701	\$1839	\$2045	\$2320	\$2623	\$2953	\$3365	\$3778
DIMENSIONS: W 54 D 32 H 35 SW 40 SD 22 SH 18 AH 28 CARTONED WEIGHT 93 CUBIC FEET 45											
THREE-SEAT MODELS											
CB7503S	METAL LEG	13	286	\$2069	\$2232	\$2475	\$2800	\$3158	\$3548	\$4035	\$4523
CB7503W	WOOD LEG	13	286	\$2069	\$2232	\$2475	\$2800	\$3158	\$3548	\$4035	\$4523
DIMENSIONS: W 74 D 32 H 35 SW 60 SD 22 SH 18 AH 28 CARTONED WEIGHT 126 CUBIC FEET 63											
OTTOMAN MODELS											
CB7504S	METAL LEG	2.5	55	\$616	\$647	\$694	\$757	\$826	\$901	\$994	\$1088
CB7504W	WOOD LEG	2.5	55	\$616	\$647	\$694	\$757	\$826	\$901	\$994	\$1088
DIMENSIONS: W 22 D 19 H 17 CARTONED WEIGHT 30.5 CUBIC FEET 20											

**SPECIFICATIONS FOR COMMUNITY
CORBIN COLLECTION
MODELS: CB7501 – CB7502 – CB7503 – CB7504**

Wood Species: Maple

Details of Construction: All chair frame parts are constructed from furniture grade plywood. The wood legs are fabricated from 3 ½” square maple. The optional metal legs are 1 ½” diameter tube and tapers to 7/8”.

Finish: Each chair has an even coat of a no-wipe stain, followed by a coat of sealer. A light sanding is given and then oven dried for 30 minutes. Another coat of catalyzed sealer is applied and oven dried for another 30 minutes. Another light sanding process is performed to assure a smooth finish. Then the product is sprayed with a 45 sheen catalyzed lacquer and oven dried for an additional 30 minutes. Then there is a 30 minute cool down period before final inspection.

Upholstery: All upholstery materials pass the California Fire Retardant Code, Class 1, Commercial Standard 191-53, Technical Bulletin #117.

Dimensions:	<u>CB7501S, W</u>	<u>CB7502S, W</u>	<u>CB7503S, W</u>	<u>CB7504S, W</u>
	Width: 34”	Width: 54”	Width: 74”	Width: 22”
	Depth: 32”	Depth: 32”	Depth: 32”	Depth: 19”
	Height: 35”	Height: 35”	Height: 35”	Height: 17”
	Seat Width: 20”	Seat Width: 40”	Seat Width: 60”	
	Seat Depth: 22”	Seat Depth: 22”	Seat Depth: 22”	
	Seat Height: 18”	Seat Height: 18”	Seat Height: 18”	
	Arm Height: 28”	Arm Height: 28”	Arm Height: 28”	