

COLLEGIAN



MODEL 1206A (SHOWN)



MODEL 1194C (SHOWN)



MODEL 1192A (SHOWN)

 ALL COLLEGIAN MODELS ON GSA CONTRACT.



WOOD SPECIES: OAK IN 14 FINISHES. SEE PAGE 221.

OPTIONAL FRONT LEG CASTERS AVAILABLE. ADD \$37 LIST FOR SET OF 2 CASTERS.

MODEL	DESCRIPTION	COM YRD.	COL SQ. FT.	PRICING WOOD	B/COM	C	D/COL	E	F	G	L	M
ARMLESS 16"H MODELS												
1206A	ALL WOOD			\$192								
1206C	UPHOLSTERED SEAT	.75	9		\$248	\$258	\$272	\$290	\$311	\$334	\$362	\$390
DIMENSIONS: W 15.5 D 15.5 H 29 SW 15.25 SD 14 SH 16 CARTONED WEIGHT 13 CUBIC FEET 6												
ARMLESS 14"H MODELS												
1194A	ALL WOOD			\$183								
1194C	UPHOLSTERED SEAT	.75	9		\$239	\$248	\$262	\$281	\$301	\$324	\$352	\$380
DIMENSIONS: W 13.75 D 13 H 24.5 SW 13.75 SD 12 SH 14 CARTONED WEIGHT 12 CUBIC FEET 4												
ARMLESS 12"H MODELS												
1192A	ALL WOOD			\$168								
1192C	UPHOLSTERED SEAT	.75	9		\$225	\$234	\$248	\$267	\$287	\$310	\$338	\$366
DIMENSIONS: W 13.25 D 13 H 22.5 SW 13.25 SD 12 SH 12 CARTONED WEIGHT 12 CUBIC FEET 4												



MODEL 1096C (SHOWN)



MODEL 1094A (SHOWN)






MODEL 1092C (SHOWN)

 ALL COLLEGIAN MODELS ON GSA CONTRACT.

WOOD SPECIES: OAK IN 14 FINISHES. SEE PAGE 221.

COORDINATING ADULT AMERICANA COLLECTION. SEE PAGE 58.



MODEL	DESCRIPTION	COM YRD.	COL SQ. FT.	PRICING WOOD	B/COM	C	D/COL	E	F	G	L	M
ARMLESS 16"H MODELS												
1096A	ALL WOOD			\$207								
1096C	UPHOLSTERED SEAT	.75	9		\$264	\$274	\$288	\$307	\$327	\$350	\$378	\$406
DIMENSIONS: W 15.5 D 15.5 H 29 SW 15.25 SD 14 SH 16 CARTONED WEIGHT 13 CUBIC FEET 6 												
ARMLESS 14"H MODELS												
1094A	ALL WOOD			\$198								
1094C	UPHOLSTERED SEAT	.75	9		\$253	\$262	\$276	\$295	\$315	\$338	\$366	\$394
DIMENSIONS: W 13.75 D 13 H 24.5 SW 13.75 SD 12 SH 14 CARTONED WEIGHT 12 CUBIC FEET 4 												
ARMLESS 12"H MODELS												
1092A	ALL WOOD			\$186								
1092C	UPHOLSTERED SEAT	.75	9		\$242	\$251	\$265	\$284	\$305	\$327	\$355	\$383
DIMENSIONS: W 13.25 D 13 H 22.5 SW 13.25 SD 12 SH 12 CARTONED WEIGHT 12 CUBIC FEET 4 												

SPECIFICATIONS FOR COMMUNITY COLLEGIAN COLLECTION

**MODELS: 753A,B,C,D – 1092A,C – 1094A,C – 1096A,C – 1098A,C -
1192A,C – 1194A,C – 1206A,C – 1218A,C**

Wood: All wood parts are constructed from select American red oak. All lumber is thoroughly air seasoned before kiln drying to a moisture content of 6% or less. The lumber is allowed to temper before milling. All parts selected for steam bending are partially air seasoned before bending, then kiln dried to a moisture content of 6% or less.

Details of Construction: The #753 seat is made from 1 ¼” lumber; the #1192, 1194, 1206 & 1218 seats are made from 1” lumber. All seat joints are fabricated from a glued up panel, held together with a high grade of glue, and double saddled and rounded for maximum comfort and style. The back posts are steam bent and made from 1” lumber (except #753). The front legs are well-rounded and tapered. The top horizontal back on the #753 and the two top slats on the #1192, 1194, 1206, and 1218 are steam bent and all edges are well rounded. The top slats on all chairs are 1 ¼” solid lumber. The seat rails use a mortise and tennon assembly to attach into front and back posts. All chairs are reinforced with four corner blocks which are glued and screwed to the seat rails. For extra stability and strength, a 3” screw is placed through the center of each corner block and into each adjoining leg. The stretchers (five on #753/ four on #1192, 1194, 1206 & 1218) are made from 1” lumber and are chucked and glued securely into the frame. All corners and edges of the chairs are well-rounded.

Finish: Each chair has an even coat of a no-wipe stain, followed by a coat of sealer. A light sanding is given and then oven dried for 30 minutes. Another coat of catalyzed sealer is applied and oven dried for another 30 minutes. Another light sanding process is performed to assure a smooth finish. Then the product is sprayed with a 45 sheen catalyzed lacquer and oven dried for an additional 30 minutes. Then there is a 30 minute cool down period before final inspection.

Hardware: Each chair is equipped standard with rubber cushion nickel plated glides.

Upholstery: The upholstered back (#753 only) consists of a 1” polyurethane padding. The upholstered seats consist of a 1 ½” polyurethane padding. All upholstery materials pass the California Fire Retardant Code, Class 1, Commercial Standard 191-53, Technical Bulletin #117.

Dimensions:

	753A,B,C,D	1092A,C	1094A,C	1096A,C	1098A,C	1192A,C	1194A,C	1206A,C	1218A,C
W	18”	13 ¼”	13 ¾”	15 ½”	18 ¾”	13 ¼”	13 ¾”	15 ½”	18 ¾”
D	20 ¼”	13”	13”	15 ½”	20 ¾”	13”	13”	15 ½”	20 ¾”
H	32 ½”	22 ½”	24 ½”	29”	34”	22 ½”	24 ½”	29”	34”
SW	18”	13 ¼”	13 ¾”	15 ¼”	18 ¾”	13 ¼”	13 ¾”	15 ¼”	18 ¾”
SD	16 ½”	12”	12”	14”	16”	12”	12”	14”	16”
SH	18”	12”	14”	16”	18”	12”	14”	16”	18”