



MODEL 25A (SHOWN)



MODEL 26C (SHOWN)

WOOD SPECIES: OAK AND MAPLE IN 27 FINISHES. SEE PAGE 221.

OPTIONAL GANGING BRACKET AVAILABLE. SPECIFY AS AN OPTION WHEN ORDERING. ADD \$20 LIST PER GANGING DEVICE.



MODEL	DESCRIPTION	COM YRD.	COL SQ. FT.	PRICING WOOD	B/COM	C	D/COL	E	F	G	L	M
BENCH 19"W MODELS												
25A	ALL WOOD			\$268								
25C	UPHOLSTERED SEAT	.75	9		\$277	\$287	\$301	\$319	\$340	\$362	\$391	\$419
DIMENSIONS: W 19 D 19 H 19 SW 17 SD 19 SH 19 CARTONED WEIGHT 22 CUBIC FEET 5												
BENCH 48"W MODELS												
26A	ALL WOOD			\$420								
26C	UPHOLSTERED SEAT	.75	18		\$430	\$439	\$453	\$472	\$493	\$515	\$543	\$571
DIMENSIONS: W 48 D 19 H 19 SW 46 SD 19 SH 19 CARTONED WEIGHT 34 CUBIC FEET 13												

**SPECIFICATIONS FOR COMMUNITY  
CLASS ACT BENCH COLLECTION  
MODELS: 25A & C – 26A & C**

**Wood Species:** Maple or Oak

**Details of Construction:** All bench parts are constructed from solid wood. All joints are connected together with mortise and tennon assembly and glue at each joint. All frames are reinforced with corner blocks which are properly fitted into the four corners of the seat frame and securely screwed and glued to the rails. For additional strength and stability, a steel screw is placed through each corner block and into the center of each adjoining leg.

**Finish:** Each chair has an even coat of a no-wipe stain, followed by a coat of sealer. A light sanding is given and then oven dried for 30 minutes. Another coat of catalyzed sealer is applied and oven dried for another 30 minutes. Another light sanding process is performed to assure a smooth finish. Then the product is sprayed with a 45 sheen catalyzed lacquer and oven dried for an additional 30 minutes. Then there is a 30 minute cool down period before final inspection.

**Hardware:** Each chair is equipped standard with rubber cushion nickel plated glides.

**Upholstery:** Each seat is upholstered with 1 ½” high density polyurethane in a pneumatic press to assure consistency in thickness and comfort. All upholstery materials pass the California Fire Retardant Code, Class 1, Commercial Standard 191-53, Technical Bulletin #117.

**Dimensions:** 25A & C  
**Width: 19”**  
**Depth: 19”**  
**Height: 19”**  
**Seat Width: 17”**  
**Seat Depth: 19”**  
**Seat Height: 19”**

26A & C  
**Width: 48”**  
**Depth: 19”**  
**Height: 19”**  
**Seat Width: 46”**  
**Seat Depth: 19”**  
**Seat Height: 19”**